

Versatile Sizes, Tailored to **Your Vision**

Variety is at the heart of our surface offerings, with an extensive range of sizes to meet your specific requirements. From compact and efficient dimensions to spacious and grand surfaces, we offer a versatile selection. What's more, our custom sizing option allows you to tailor the surface to your exact specifications, ensuring a perfect fit for every project.

No matter the scale or scope, we provide surfaces that seamlessly blend aesthetics and functionality. With our diverse sizing, you have the freedom to turn your creative vision into a tangible reality, making every project uniquely yours.

Finishes that Transform, Style at **Your Fingertips**

Our surfaces come with a spectrum of finishes, allowing you to personalize your spaces with style and sophistication. Opt for a matte finish for a subtle and timeless elegance that complements any design. And, for the epitome of modernity and sophistication, our high-gloss finish is the perfect choice.















CARVING

PEARL

R11

120X180CM

120X120CM

80X160CM

80X80CM

60X120CM

60X60CM

30X60CM

APPLICATION AREAS FEATURES AND BENEFITS

Versatile Surfaces, Endless Design Possibilities

Our surfaces are incredibly versatile, with applications that transcend design boundaries. They are the ideal choice for kitchens, adding both charm and functionality to your culinary space. Beyond residential use, our surfaces find a place in commercial projects, contributing to a range of design aspirations. With our versatile surfaces, your design possibilities are truly endless.













Unmatched Features, Allowing Your Creativity to Thrive

Explore our surfaces' exceptional features that ensure longevity and safety. With exceptional durability, they're built to withstand the test of time. Whether it's frost-resistant for outdoor installations or fireproof for enhanced indoor safety, our surfaces are engineered to meet your design aspirations. Water-resistant properties make them perfect for wet areas, combining style with practicality.








Ameliya Choco



Ameliya Grey
800 X 800mm | 800 X 1600mm





Ameliya Light Grey



Barberino Lux 800 X 800mm | 800 X 1600mm





Barberino Sahara 800 X 800mm | 800 X 1600mm



Benteak Wood Almond





Glazed
Porcelain
Tiles



Benteak Wood Sky



Boston Brown
800 X 800mm | 800 X 1600mm






Glazed
Porcelain
Tiles



Surface: Matt

Boston Choco



Calce Avorio
800 X 800mm | 800 X 1600mm



















Glazed **Porcelain Tiles**





Brushed Ore

800 X 800mm | 800 X 1600mm





Brushed Ore Decor


800 X 800mm | 800 X 1600mm





Surface: Matt

Calce Bianco 800 X 800mm | 800 X 1600mm




Calce Brown 800 X 800mm | 800 X 1600mm





Calce Charcoal




Calce Grey





Glazed
Porcelain
Tiles



Calce Ivory
800 X 800mm | 800 X 1600mm



Cypress Wood Brown
800 X 800mm | 800 X 1600mm






Evon Grey
800 X 800mm | 800 X 1600mm




Evon White
800 X 800mm | 800 X 1600mm





Fiorita Beige 800 X 800mm | 800 X 1600mm



Fiorita Dark Grey





Fiorita Grey



Fiorita White
800 X 800mm | 800 X 1600mm





Flurry Brown
800 X 800mm | 800 X 1600mm



Hicory Wood
800 X 800mm | 800 X 1600mm























Glazed Porcelain **Tiles**










800 X 800mm | 800 X 1600mm











Kinder Bruno

800 X 800mm | 800 X 1600mm





Kinder Grey
800 X 800mm | 800 X 1600mm



Lime Stone Brown
800 X 800mm | 800 X 1600mm





Glazed
Porcelain
Tiles




Lime Stone Grey



Surface: Matt

Mahogany Wood Crema





Monolith Grape
800 X 800mm | 800 X 1600mm




Monolith Mint 800 X 800mm | 800 X 1600mm






Monolith Soil




Morgan Beige






Morgan Bianco




Morgan Brown
800 X 800mm | 800 X 1600mm





Morgan Grey




Morgan Gris
800 X 800mm | 800 X 1600mm






Morgan Ivory
800 X 800mm | 800 X 1600mm




Morgan Nero 800 X 800mm | 800 X 1600mm





Morgan Silver



Morgan Taupe
800 X 800mm | 800 X 1600mm






Glazed
Porcelain
Tiles



Natural Oak Wood



Opulence Rivasa





Oxford Orchid
800 X 800mm | 800 X 1600mm



Pariso Dove






Glazed
Porcelain
Tiles



Surface: Matt

Prime Oak Wood
800 X 800mm | 800 X 1600mm




Sand Beige 800 X 800mm | 800 X 1600mm





Glazed
Porcelain
Tiles




Sand Grey
800 X 800mm | 800 X 1600mm




Sand Nero 800 X 800mm | 800 X 1600mm






Terazzo 800 X 800mm | 800 X 1600mm



Terazzo Slate






Victoria Crema 800 X 800mm | 800 X 1600mm



Victoria Grey
800 X 800mm | 800 X 1600mm






Prism Bronze
800 X 800mm | 800 X 1600mm



Prism Emerald
800 X 800mm | 800 X 1600mm






Prism Gold
800 X 800mm | 800 X 1600mm



Prism Lagoon
800 X 800mm | 800 X 1600mm






Calypso Ash



Calypso Harbour





Calypso Ice



Calypso Cocoa





Calypso Sand

800 X 800mm | 800 X 1600mm



Calypso Pale

800 X 800mm | 800 X 1600mm

TECHNICAL SPECIFICATION

| TEST DESCRIPTION | TEST METHOD | ISO STANDARD 13006 Blg TILES | VALUE |
|--|--------------------|---------------------------------|--------------------------------|
| Length and width | BS EN ISO 10545-2 | ±0.6% | ±0.3% |
| Thickness | BS EN ISO 10545-2 | ± 5.0% | ±3.0% |
| Straightness of sides | BS EN ISO 10545-2 | ±0.5% | ±0.3% |
| Rectangularity | BS EN ISO 10545-2 | ± 0.6% | ±0.3% |
| Surface flatness | BS EN ISO 10545-2 | ±0.5% | ±0.3% |
| Water absorption | BS EN ISO 10545-3 | ≤ 0.5% | ≤ 0.05% |
| Breaking strength | BS EN ISO 10545-4 | ≥ 1300N | ≥ 1500N |
| Modulus of rupture | BS EN ISO 10545-4 | 2 35 N/mm² | ≥ 45N/mm² |
| Resistance to deep abrasion | BS EN ISO 10545-6 | ≤ 175mm³ | ≤ 150mm³ |
| Linear thermal expansion | BS EN ISO 10545-8 | ₹8 x 10 ₋₈ °C₁ | ≤9 x 10 ⁻⁶ °C¹ |
| Thermal shock resistance | BS EN ISO 10545-9 | No visible defect | No visible defect |
| Frost resistance | BS EN ISO 10545-12 | Frost proof | Frost proof |
| Resistance to chemicals | BS EN ISO 10545-13 | No visible effect | No visible effect |
| Resistance to stain | BS EN ISO 10545-14 | Manufacturer to state class | Stains removed Min. Class 2 |
| Colour resistance | BS EN ISO 10545-16 | No damage | No damage |
| Colour resistance to UV Light | DIN 51094 | No change in color | No change in color |
| Scratch hardness(MOH's Scale) | EN 101 | ≥ 6 MOHS | ≥ 7 MOHS |
| Surface quality | BS EN ISO 10545-2 | Min. 95% | No visible defect |
| Skid resistance (friction co-efficient) | BS EN ISO 10545-17 | > 0.4 | >0.4 |
| Moisture Expansion | - | Nil | Nil |

PACKING DETAILS

| Size | Pcs/Box | Weight (Approx) | Thickness (Approx) | SQ.M / Box |
|-----------|---------|-----------------|--------------------|------------|
| 120x180cm | 2 | 90 kg | 9mm | 4.32 |
| 120x120cm | 2 | 58 kg | 9mm | 2.88 |
| 80x160cm | 2 | 52 kg | 9mm | 2.56 |
| 80x80cm | 3 | 38 kg | 9mm | 1.92 |
| 60x120cm | 2 | 28 kg | 8.5mm | 1.44 |
| 60x60cm | 4 | 27 kg | 8mm | 1.44 |
| 30x60cm | 6 | 22 kg | 9mm | 1.08 |

| Note: |
|-------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |